

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

IN THE CLAIMS

Please amend the claims as follows.

1. (Currently Amended) A method of replacing standard cells with high speed cells in a design of a circuit using a computer program, said circuit design comprising a plurality of high speed cells and a plurality of standard cells, said high speed cells and said standard cells being arranged to form a plurality of paths, said method comprising the steps of:

timing said plurality of paths;

identifying cells occurring on paths for which timing targets are not met, the paths for which timing targets are not met belonging to a first set of paths; and

upgrading at least one of said identified cells to a high speed cell;

wherein the first set of paths is determined from a second set of paths, and the second set of paths is changed to include an increased number of paths if the number of the second set of paths for which timing targets are not met is less than a specified number of paths ~~paths for which timing targets are not met number less than a specified number of paths.~~

2. (Previously Presented) A method as claimed in claim 1, further comprising the step of determining the first set of paths.

3. (Previously Presented) A method according to claim 1 wherein said first set of paths is a set of paths that have slowest timings.

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

4. (Previously Presented) A method according to claim 1 wherein the specified number of paths comprises a predetermined number of paths.

5. (Previously Presented) A method as claimed in claim 1 wherein the first set of paths are ordered according to timing and allocated an order number.

6. (Previously Presented) A method as claimed in claim 1 wherein the cells identified as occurring on said set of paths for which timing targets are not met are ranked in order of a contribution of the cell to a timing of a path.

7. (Previously Presented) A method as claimed in claim 6 wherein the contribution of the cell to the timing of the path is calculated using at least one of:

an order number of each path the cell occurs on; and

a transition time of the cell.

8. (Previously Presented) A method as claimed in claim 6 wherein a predetermined number of highest ranked cells are replaced with high speed cells.

9. (Previously Presented) A method as claimed in claim 1 wherein the first set of paths comprises paths that each begin at one of a plurality of inputs and terminate at one of a plurality of registers.

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

10. (Previously Presented) A method as claimed in claim 1 wherein the first set of paths comprises paths that each begin at one of a plurality of first registers and terminate at one of a plurality of second registers.

11. (Previously Presented) A method as claimed in claim 1 wherein the first set of paths comprises paths that each begin at one of a plurality of registers and terminate at one of a plurality of outputs.

12. (Cancelled).

13. (Previously Presented) A method as claimed in claim 1 wherein the circuit design comprises a plurality of endpoints at which the plurality of paths terminate.

14. (Previously Presented) A method as claimed in claim 13 wherein the endpoints are cells.

15. (Previously Presented) A method as claimed in claim 13 wherein the second set of paths comprises one path per endpoint.

16. (Previously Presented) A method as claimed in claim 13 wherein the second set of paths comprises a plurality of paths per endpoint.

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

17. (Previously Presented) A method as claimed in claim 13 wherein the second set of paths is changed to comprise an increased number of paths per endpoint.

18. (Original) A method as claimed in claim 1 wherein the circuit is an integrated circuit.

19. (Original) A method as claimed in claim 18 wherein the integrated circuit is an application specific integrated circuit.

20. (Currently Amended) A computer program for replacing standard cells with high speed cells in a design of a circuit, said circuit design comprising a plurality of high speed cells and a plurality standard cells, said high speed cells and said standard cells being arranged to form a plurality of paths, said computer program arranged to carry out the steps of:

timing said plurality of paths;

identifying cells occurring on paths for which timing targets are not met, the paths for which timing targets are not met belonging to a first set of paths; and

upgrading at least one of said identified cells to a high speed cell;

wherein the first set of paths is determined from a second set of paths, and the second set of paths is changed to include an increased number of paths if the number of the second set of paths for which timing targets are not met is less than a specified number of paths ~~paths for which timing targets are not met number less than a specified number of paths.~~

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

21. (Previously Presented) A computer program as claimed in claim 20, further arranged to carry out the step of determining the first set of paths.
22. (Previously Presented) A computer program according to claim 20 wherein said first set of paths is a set of paths that have slowest timings.
23. (Previously Presented) A computer program according to claim 20 wherein the specified number of paths comprises a predetermined number of paths.
24. (Previously Presented) A computer program as claimed in claim 20 wherein the first set of paths are ordered according to timing and allocated an order number.
25. (Previously Presented) A computer program as claimed in claim 20 wherein the cells identified as occurring on said set of paths for which timing targets are not met are ranked in order of a contribution of the cell to a timing of a path.
26. (Previously Presented) A computer program as claimed in claim 25 wherein the contribution of the cell to the timing of the path is calculated using at least one of:
- an order number of each path the cell occurs on; and
 - a transition time of the cell.

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

27. (Previously Presented) A computer as claimed in claim 25 wherein a predetermined number of highest ranked cells are replaced with high speed cells.

28. (Previously Presented) A computer program as claimed in claim 20 wherein the first set of paths comprises paths that each begin at one of a plurality of inputs and terminate at one of a plurality of registers.

29. (Previously Presented) A computer program as claimed in claim 20 wherein the first set of paths comprises paths that each begin at one of a plurality of first registers and terminate at one of a plurality of second registers.

30. (Previously Presented) A computer program as claimed in claim 20 wherein the first set of paths comprises paths that each begin at one of a plurality of registers and terminate at one of a plurality of outputs.

31. (Cancelled).

32. (Previously Presented) A computer program as claimed in claim 20 wherein the circuit design comprises a plurality of endpoints at which the plurality of paths terminate.

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

33. (Previously Presented) A computer program as claimed in claim 32 wherein the endpoints are cells.

34. (Previously Presented) A computer program as claimed in claim 32 wherein the second set of paths comprises one path per endpoint.

35. (Previously Presented) A computer program as claimed in claim 32 wherein the second set of paths comprises a plurality of paths per endpoint.

36. (Previously Presented) A computer program as claimed in claim 32 wherein the second set of paths is changed to comprise an increased number of paths per endpoint.

37. (Original) A computer program as claimed in claim 20 wherein the circuit is an integrated circuit.

38. (Original) A computer program as claimed in claim 37 wherein the integrated circuit is an application specific integrated circuit.

DOCKET NO. STMI08-00002
U.S. SERIAL NO. 10/614,336
PATENT

39. (Currently Amended) A method of replacing standard cells with high speed cells in ~~[[the]]~~ a design of a circuit using a computer program, said ~~application-specific integrated circuit~~ design comprising a plurality of high speed cells and a plurality of standard cells, said high speed cells and said standard cells being arranged to form a plurality of paths ~~on said application-specific integrated circuit~~, said method comprising the steps of:

timing said plurality of paths;

identifying paths for which timing targets are not met, the paths for which timing targets are not met belonging to a first set of paths; and

upgrading cells occurring on said identified paths to high speed cells;

wherein the first set of paths is determined from a second set of paths, and the second set of paths is changed to include an increased number of paths if the number of the second set of paths for which timing targets are not met is less than a specified number of paths.

40. (Cancelled).

41. (New) A method as claimed in claim 39, wherein the circuit is an application specific integrated circuit.